

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

5-Amino-1MQ - 10mg



Tested for: Beckah's Peptides
beckahspeptides.com

COA #: COA-2026-SCDLB5
Lot Number: ami260821-01
Labeled Content: 10mg
Volume: 3mL

Analysis Date: 09/03/2026
Appearance: Good
Volume: 3mL
Date Received: 08/27/2026

Method: Full QC Panel

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: DJBTCTLR

Identity	Peptide Purity	Fentanyl Free
5-Amino-1MQ	99.92%	


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.92%	%	PASS
Net Peptide Content	Report Only	10.63	mg	N/A
Identity (HPLC-RTM)	5-amino-1MQ	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



5-Amino-1MQ 10mg - ami260821-01

HPLC Chromatogram



HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.92%	10.63 mg	Confirmed	PASS
Conformity V1	99.90%	10.46 mg	Confirmed	PASS
Mean	99.91%	10.55 mg	—	—
Std Dev	0.0100%	0.0850 mg	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.091 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 09/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be 5-Amino-1MQ by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Conformity V1 (99.90% purity, closest to batch mean of 99.91%).
7. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
8. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
9/3/2026

COA #: COA-2026-SCDLB5
Access Code: DJBTCTLR
Verify: portal.ils-lab.com
Issued: 9/3/2026